

Docket No.: YHK-0107

IPW  
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Won Tae KIM et al.

Serial No: 10/614,166

Filed: July 8, 2003



Confirmation No.: 6504

Group Art Unit: 2821

Examiner: Trinh Vo DINH

Customer No.: 34610

For: METHOD AND APPARATUS FOR DRIVING PLASMA DISPLAY PANEL

U.S. Patent and Trademark Office  
Customer Window, Mail Stop Amendment  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☐ No additional fee is required.  
☒ Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	15	20	0	x \$50.00 =	\$0.00
Independent Claims	3	3	0	x \$200.00 =	\$0.00
If multiple claims newly presented, add \$360.00					\$0.00
Fee for extension of time					\$0.00
<b>TOTAL FEE DUE</b>					<b>\$0.00</b>


- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$ \_\_\_\_\_. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$ \_\_\_\_\_ (Check # \_\_\_\_\_) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,  
FLESHNER & KIM, LLP

Daniel Y.J. Kim  
Registration No. 36,186  
David C. Oren  
Registration No. 38,694

P.O. Box 221200  
Chantilly, VA 20153-1200  
(703) 766-3701 DYK:DCO/kah  
Date: February 28, 2005

Docket No.:YHK-0107



PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

Confirmation No.: 6504

Won Tae KIM et al.

Group Art Unit: 2821

Serial No.: 10/614,166

Examiner: Trinh Vo DINH

Filed: July 8, 2003

**Customer No.: 34610**

For: METHOD AND APPARATUS FOR DRIVING PLASMA DISPLAY PANEL

**AMENDMENT**

U.S. Patent and Trademark Office  
Customer Window, Mail Stop Amendment  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314

Sir:

In response to the Office Action of November 29, 2004, please amend the above-identified application as follows:

**Amendments to the Claims** are reflected in the listing of claims.

**Remarks** begin after the listing of claims.